ELSEVIER

European Journal of Pharmacology 271 (1994) 569–572

ejp

Author index

Abiko, Y., see Hashizume, H. (271) 1
Ableitner, A.
Brain sites involved in δ-opioid receptor-mediated actions (271) 213
Abram, T.S., see Norman, P. (271) 73
Agnati, L.F., see Yang, S.-N. (271) 201
Ahier, R.G., see Hume, S.P. (271) 515
Akiyama, K., see Hashizume, H. (271) 1
Allescher, H.-D., see Franck, H. (271) 379
Arai, T., see Hagihara, K. (271) 159
Arbaoui, J., see Protais, P. (271) 167
Arletti, R., see Poggioli, R. (271) 253
Arreola, J., Dirksen, R.T., Perez-Cornejo, P., Piech, K.M. and Sheu, S.-S.
Autonomic modulation of action potential and tension in guinea pig papillary muscles (271) 309
Ashworth, S., see Hume, S.P. (271) 515
Atkinson, A.M., see Teale, D.M. (271) 87
Audet, R., Petitclerc, E., Drapeau, G., Rioux, F. and Marceau, F.
Further analysis of the upregulation of bradykinin B_1 receptors in isolated rabbit aorta by using metabolic inhibitors (271) 551

Beck-Sickinger, A.G., see Rudolf, K. (271) R11
Benelli, A., see Poggioli, R. (271) 253
Benishin, C.G., see Sun, Y.-D. (271) 453
Bernabeu, R., see Fin, C. (271) 227
Bernier, S.G., Fournier, A. and Guillemette, G.
A specific binding site recognizing a fragment of angiotensin II in bovine adrenal cortex membranes (271) 55
Bertolini, A., see Poggioli, R. (271) 253
Bickerdike, M.J., Marsden, C.A., Dourish, C.T. and Fletcher, A.
The influence of 5-hydroxytryptamine re-uptake blockade on CCK receptor antagonist effects in the rat elevated zero-maze (271) 403
Birch, P., see Smith, G. (271) 481
Bland-Ward, P.A., see Gaffen, Z. (271) 445
Blier, P., see Mongeau, R. (271) 121
Bohmann, C., Schaible, U., Schollmeyer, P. and Rump, L.C.
α_{2D}-Adrenoceptors modulate renal noradrenaline release in normotensive and spontaneously hypertensive rats (271) 283
Bolego, C., see Pinna, C. (271) 151
Borsini, F., see Ceci, A. (271) 231
Bousquet, P., see Greney, H. (271) 533
Bowers, J., see Smith, G. (271) 481
Braida, D., Gori, E. and Sala, M.
Relationship between morphine and etonitazene-induced working memory impairment and analgesia (271) 497
Brocco, M., see Schreiber, R. (271) 537
Brochez, V., see Van de Voorde, J. (271) 17
Broutman, G., see Homaidan, F.R. (271) 561
Brune, K., see Pallapies, D. (271) 335
Bucharles, C., Vaudry, H. and Leroux, P.
Pharmacological characterization of somatostatin receptors in rat cerebellar nuclei (271) 79
Calignano, A., see Mancuso, F. (271) 329
Capasso, F., see Izzo, A.A. (271) 31
Carter, L., see Wallace, J.L. (271) 525
Ceci, A., Fodritto, F. and Borsini, F.
Repeated treatment with fluoxetine decreases the number of spontaneously active cells per track in frontal cortex (271) 231
Chagraoui, A., see Protais, P. (271) 167
Chauvelot-Moachon, L., see Chen, Y.-L. (271) 319
Chen, Y.-L., Le Vraux, V., Giroud, J.-P. and Chauvelot-Moachon, L.
Anti-tumor necrosis factor properties of non-peptide drugs in acute-phase responses (271) 319
Cliffe, I.A., see Hume, S.P. (271) 515
Correia-de-Sá, P. and Ribeiro, J.A.
Tonic adenosine A_{2A} receptor activation modulates nicotinic autoreceptor function at the rat neuromuscular junction (271) 349
Coy, D.H., see Ladenheim, E.E. (271) R7
Craven, R., Grahame-Smith, D. and Newberry, N.
WAY-100635 and GR127935: effects on 5-hydroxytryptamine-containing neurones (271) R1
Cuthbert, N.J., see Norman, P. (271) 73
Cutler, D.J., see Piggins, H.D. (271) 413

Da Silva, R.C., see Fin, C. (271) 227
De Giorgio, R., see Patacchini, R. (271) 111
DeHaven-Hudkins, D.L., see Hudkins, R.L. (271) 235
DeLander, G.E., see Keil, II, G.J. (271) 37
De Montigny, C., see Mongeau, R. (271) 121
Deshpande, S.B. and Warnick, J.E.
Analogs of thyrotropin-releasing hormone in potentiating the spinal monosynaptic reflex in vitro (271) 439
Devillers, J.-P. and Simonnet, G.
Modulation of neuropeptide FF release from rat spinal cord slices by glutamate. Involvement of NMDA receptors (271) 185
Di Carlo, G., see Izzo, A.A. (271) 31
Diop, L., Rivière, P.J.M., Pascaud, X. and Junien, J.-L.
Peripheral κ-opioid receptors mediate the antinociceptive effect of fetodozine on the duodenal pain reflex in rat (271) 65
Diop, L., see Langlois, A. (271) 245
Dirksen, R.T., see Arreola, J. (271) 309
Domenici, M.R., Sagratella, S., Ongini, E., Longo, R. and Scotti de Carolis, A.
Felbamate displays in vitro antiepileptic effects as a broad spectrum excitatory amino acid receptor antagonist (271) 259
Dontenwill, M., see Greney, H. (271) 533
Doods, H.N., see Rudolf, K. (271) R11
Dourish, C.T., see Bickerdike, M.J. (271) 403
Drapeau, G., see Audet, R. (271) 551
Dumont, M. and Lemaire, S.
Dynorphin potentiation of [^{3}H]CGP-39653 binding to rat brain membranes (271) 241

Eberlein, W., see Rudolf, K. (271) R11
Eckly, A.E., Stoclet, J.-C. and Lugnier, C.
Isoprenaline induces endothelium-independent relaxation and accumulation of cyclic nucleotides in the rat aorta (271) 237

Eguchi, H., see Hagihara, K. (271) 159
Enero, M.A., see Taira, C.A. (271) 9
Engel, W., see Rudolf, K. (271) R11
Entzeroth, M., see Rudolf, K. (271) R11
Evans, A.M., see Robertson, S.J. (271) 273

Fabel, H., see Flüge, T. (271) 395
Feldmann, K.F., see Wamil, A.W. (271) 301
Feng, Y., see Narita, M. (271) 543
Feng, Y., see Narita, M. (271) 547
Fin, C., Schmitz, P.K., Da Silva, R.C., Bernabeu, R., Medina, J.H. and Izquierdo, I.
Intrahippocampal, but not intra-amygdala, infusion of an inhibitor of heme oxygenase causes retrograde amnesia in the rat (271) 227
Fior, D.R., see Yang, S.-N. (271) 201
Fletcher, A., see Bickerdike, M.J. (271) 403
Fletcher, A., see Hume, S.P. (271) 515
Flüge, T., Hoymann, H.-G., Hohlfeld, J., Heinrich, U., Fabel, H., Wagner, T.O.F. and Forssmann, W.-G.
Type A natriuretic peptides exhibit different bronchoprotective effects in rats (271) 395
Fodritto, F., see Ceci, A. (271) 231
Forssmann, W.-G., see Flüge, T. (271) 395
Fournier, A., see Bernier, S.G. (271) 55
Franck, H., Puschmann, A., Schusdziarra, V. and Allescher, H.-D.
Functional evidence for a glibenclamide-sensitive K^+ channel in rat ileal smooth muscle (271) 379
Fuxe, K., see Yang, S.-N. (271) 201

Gaffen, Z., Bland-Ward, P.A., Pitcher, A., Wallace, P. and Moore, P.K.
Augmented antinociception following 7-nitro indazole and flurbiprofen in the conscious mouse (271) 445
Gardiner, P.J., see Norman, P. (271) 73
Giachetti, A., see Patacchini, R. (271) 111
Giroud, J.-P., see Chen, Y.-L. (271) 319
Gobert, A., see Schreiber, R. (271) 537
Goldberg, D.M., see Sannerud, C.A. (271) 461
Goldberg, S.R., see Sannerud, C.A. (271) 461
Gomoll, A.W. and Ogletree, M.L.
Failure of aspirin to interfere with the cardioprotective effects of ifetroban (271) 471
Gori, E., see Braida, D. (271) 497
Goto, Y., see Takakura, K. (271) 367
Gozlan, H., see Laporte, A.-M. (271) 505
Grahame-Smith, D., see Craven, R. (271) R1
Greney, H., Molines, A., Bousquet, P. and Dontenwill, M.
Heterogeneity of imidazoline binding sites revealed by a cirazoline derivative (271) 533
Guillemette, G., see Bernier, S.G. (271) 55

Hagihara, K., Hayakawa, T., Arai, T., Eguchi, H., Mino, S. and Kawase, S.
Antagonistic activities of N-3389, a newly synthesized diazabicyclo derivative, at 5-HT_3 and 5-HT_4 receptors (271) 159
Hamon, M., see Laporte, A.-M. (271) 505
Harrison, S., see Smith, G. (271) 481
Hashizume, H., Akiyama, K. and Abiko, Y.
Effects of antiischemic drugs on veratridine-induced hypercontracture in rat cardiac myocytes (271) 1
Hayakawa, T., see Hagihara, K. (271) 159
Hayashi, T., see Luger, T.J. (271) 421
Hedlund, P.B., see Yang, S.-N. (271) 201
Heinrich, U., see Flüge, T. (271) 395
Herbst, C., see Tippler, B. (271) 131
Heya, T., see Miyamoto, M. (271) 357
Hilakivi, I.
Early postnatal antidepressant treatment and juvenile stereotyped behaviour in rats (271) 223
Hill, H.F., see Luger, T.J. (271) 421
Hirai, K., see Miyamoto, M. (271) 357
Ho, I.K., see Narita, M. (271) 543
Ho, I.K., see Narita, M. (271) 547
Hohlfeld, J., see Flüge, T. (271) 395
Homaidan, F.R. and Broutman, G.
Regulation of ileal electrolyte transport by K^+ channel activators (271) 561
Hoskins, B., see Narita, M. (271) 543
Hoskins, B., see Narita, M. (271) 547
Hoymann, H.-G., see Flüge, T. (271) 395
Huang, N.-Y. and Kostrzewa, R.M.
Persistent oral dyskinesias in haloperidol-withdrawn neonatal 6-hydroxydopamine-lesioned rats (271) 433
Huang, Q., Tezuka, Y., Kikuchi, T. and Momose, Y.
Trichokonin VI, a new Ca^{2+} channel agonist in bullfrog cardiac myocytes (271) R5
Huchet, C. and Léoty, C.
Sarcoplasmic reticulum function in newborn ferret cremaster skeletal muscles (271) 141
Hudkins, R.L., Mailman, R.B. and DeHaven-Hudkins, D.L.
RLH-033, a novel, potent and selective ligand for the σ_1 recognition site (271) 235
Hume, S.P., Ashworth, S., Opacka-Juffry, J., Ahier, R.G., Lammertsma, A.A., Pike, V.W., Cliffe, I.A., Fletcher, A. and White, A.C.
Evaluation of [*O-methyl*-^{3}H]WAY-100635 as an in vivo radioligand for 5-HT_{1A} receptors in rat brain (271) 515

Ichihara, M., see Shibasaki, M. (271) 341
Imaizumi, M., see Miyazaki, S. (271) 179
Inagaki, O., see Shibasaki, M. (271) 341
Inglis, A., see Tseng, A. (271) 265
Izquierdo, I., see Fin, C. (271) 227
Izzo, A.A., Mascolo, N., Di Carlo, G. and Capasso, F.
N^G-Nitro-L-arginine methyl ester modulates intestinal secretion and motility produced by carbachol (271) 31

Joos, G.F., Lefebvre, R.A., Kips, J.C. and Pauwels, R.A.
Tachykinins contract trachea from Fischer 344 rats by interaction with a tachykinin NK_1 receptor (271) 47
Junien, J.-L., see Diop, L. (271) 65
Junien, J.-L., see Langlois, A. (271) 245

Kawase, S., see Hagihara, K. (271) 159
Keil, II, G.J. and DeLander, G.E.
Adenosine kinase and adenosine deaminase inhibition modulate spinal adenosine- and opioid agonist-induced antinociception in mice (271) 37
Kigoshi, S., see Takakura, K. (271) 367
Kikuchi, T., see Huang, Q. (271) R5
Kikusui, M., see Ohno, M. (271) 557
Kips, J.C., see Joos, G.F. (271) 47
Kostrzewa, R.M., see Huang, N.-Y. (271) 433
Krenning, E.P., see Reubi, J.C. (271) 371
Kusaka, M. and Sperelakis, N.
Veratridine actions on two types of fast Na^+ channels in human uterine leiomyosarcoma cells (271) 387

Ladenheim, E.E., Taylor, J.E., Coy, D.H. and Moran, T.H.
Blockade of feeding inhibition by neuromedin B using a selective receptor antagonist (271) R7
Laissue, J.A., see Reubi, J.C. (271) 371
Lammertsma, A.A., see Hume, S.P. (271) 515

Langlois, A., Diop, L., Rivière, P.J.M., Pascaud, X. and Junien, J.-L.
Effect of fedotozine on the cardiovascular pain reflex induced by distension of the irritated colon in the anesthetized rat (271) 245
Laporte, A.-M., Lima, L., Gozlan, H. and Hamon, M.
Selective in vivo labelling of brain 5-HT_{1A} receptors by [^{3}H]WAY 100635 in the mouse (271) 505
Laufer, S., see Wallace, J.L. (271) 525
Laycock, J.F.
Desamino-8D-arginine vasopressin treatment of Brattleboro rats: effect on sensitivity to pressor hormones (271) 193
Lefebvre, R.A., see Joos, G.F. (271) 47
Lemaire, S., see Dumont, M. (271) 241
Léoty, C., see Huchet, C. (271) 141
Leroux, P., see Bucharles, C. (271) 79
Le Vraux, V., see Chen, Y.-L. (271) 319
Li, X.-S., see Wang, Q.-D. (271) 25
Lima, L., see Laporte, A.-M. (271) 505
Lombardi, G., Moroni, F. and Moroni, F.
Glutamate receptor antagonists protect against ischemia-induced retinal damage (271) 489
Longo, R., see Domenici, M.R. (271) 259
Lopez-Belmonte, J. and Whittle, B.J.R.
Calcitonin-gene related peptide can augment or prevent endothelin-1 induced gastric microvascular leakage (271) R15
Lorenz, I.H., see Luger, T.J. (271) 421
Luger, T.J., Hayashi, T., Lorenz, I.H. and Hill, H.F.
Mechanisms of the influence of midazolam on morphine antinociception at spinal and supraspinal levels in rats (271) 421
Lugnier, C., see Eckly, A.E. (271) 237

Machida, H., see Miyazaki, S. (271) 179
Maggi, C.A., see Patacchini, R. (271) 111
Mailman, R.B., see Hudkins, R.L. (271) 235
Makimura, M., see Narita, M. (271) 543
Makimura, M., see Narita, M. (271) 547
Malmberg, A.B. and Yaksh, T.L.
Capsaicin-evoked prostaglandin E_2 release in spinal cord slices: relative effect of cyclooxygenase inhibitors (271) 293
Mancuso, F., Calignano, A. and Sorrentino, L.
Endogenous nitric oxide modulates behavioural effects elicited by substance P in rat (271) 329
Marceau, F., see Audet, R. (271) 551
Markusse, H.M., see Reubi, J.C. (271) 371
Marsden, C.A., see Bickerdike, M.J. (271) 403
Martín, M.I., see Milanés, M.V. (271) 103
Martin, R.J., see Robertson, S.J. (271) 273
Mascolo, N., see Izzo, A.A. (271) 31
McKnight, W., see Wallace, J.L. (271) 525
McLean, M.J., see Wamil, A.W. (271) 301
Medina, J.H., see Fin, C. (271) 227
Mennini, T., Miari, A., Presti, M.L., Rizzi, M., Samanin, R. and Vezzani, A.
Adaptive changes in the NMDA receptor complex in rat hippocampus after chronic treatment with CGP 39551 (271) 93
Menozzi, B., see Poggioli, R. (271) 253
Miari, A., see Mennini, T. (271) 93
Milanés, M.V., Vargas, M.L. and Martín, M.I.
Involvement of κ-opioid receptor mechanisms in the calcitonin-induced potentiation of opioid effects at the hypothalamus-pituitary-adrenocortical axis (271) 103
Millan, M.J., see Schreiber, R. (271) 537
Mino, S., see Hagihara, K. (271) 159
Miyamoto, M., Hirai, K., Heya, T. and Nagaoka, A.
Effects of a sustained release formulation of thyrotropin-releasing hormone on behavioral abnormalities in senescence-accelerated mice (271) 357
Miyazaki, S., Imaizumi, M. and Machida, H.
Effects of 1-amino-5-bromouracil on the benzodiazepine-$GABA_A$ receptor complex (271) 179
Mocaër, E., see Protais, P. (271) 167
Molines, A., see Greney, H. (271) 533
Momose, Y., see Huang, Q. (271) R5
Mongeau, R., De Montigny, C. and Blier, P.
Effect of long-term administration of antidepressant drugs on the 5-HT_3 receptors that enhance the electrically evoked release of [^{3}H]noradrenaline in the rat hippocampus (271) 121
Moore, P.K., see Gaffen, Z. (271) 445
Moran, T.H., see Ladenheim, E.E. (271) R7
Moriarty, M., see Tseng, A. (271) 265
Moroni, F., see Lombardi, G. (271) 489
Moroni, F., see Lombardi, G. (271) 489
Murakami, K., see Shibasaki, M. (271) 341
Muramatsu, I., see Takakura, K. (271) 367

Nagaoka, A., see Miyamoto, M. (271) 357
Narita, M., Feng, Y., Makimura, M., Hoskins, B. and Ho, I.K.
A protein kinase inhibitor, H-7, inhibits the development of tolerance to opioid antinociception (271) 543
Narita, M., Feng, Y., Makimura, M., Hoskins, B. and Ho, I.K.
Repeated administration of opioids alters characteristics of membrane-bound phorbol ester binding in rat brain (271) 547
Newberry, N., see Craven, R. (271) R1
Norman, P., Abram, T.S., Cuthbert, N.J., Tudhope, S.R. and Gardiner, P.J.
Characterisation of leukotriene receptors on rat lung strip (271) 73

Ogletree, M.L., see Gomoll, A.W. (271) 471
Ohno, M., Kikusui, M., Yoshimatsu, A., Yamamoto, T. and Watanabe, S.
Somatostatin alleviates impairment of working memory induced by hippocampal muscarinic M_1 receptor blockade in rats (271) 557
Ongini, E., see Domenici, M.R. (271) 259
Opacka-Juffry, J., see Hume, S.P. (271) 515

Pallapies, D., Peskar, B.A., Brune, K. and Zeilhofer, H.U.
Modulation of nitric oxide effects by flurbiprofen enantiomers and nefopam and its relation to antinociception (271) 335
Pascaud, X., see Diop, L. (271) 65
Pascaud, X., see Langlois, A. (271) 245
Patacchini, R., De Giorgio, R., Giachetti, A. and Maggi, C.A.
Different mechanism of tachykinin NK_2 receptor blockade by SR 48968 and MEN 10,627 in the guinea-pig isolated gallbladder and colon (271) 111
Pauwels, R.A., see Joos, G.F. (271) 47
Pennington, A.J., see Robertson, S.J. (271) 273
Perez-Cornejo, P., see Arreola, J. (271) 309
Pernow, J., see Wang, Q.-D. (271) 25
Peskar, B.A., see Pallapies, D. (271) 335
Petitclerc, E., see Audet, R. (271) 551
Piech, K.M., see Arreola, J. (271) 309
Piggins, H.D., Cutler, D.J. and Rusak, B.
Effects of ionophoretically applied bombesin-like peptides on hamster suprachiasmatic nucleus neurons in vitro (271) 413
Pike, V.W., see Hume, S.P. (271) 515
Pinna, C., Bolego, C. and Puglisi, L.
Effect of substance P and capsaicin on urinary bladder of diabetic rats and the role of the epithelium (271) 151
Pitcher, A., see Gaffen, Z. (271) 445
Poggioli, R., Benelli, A., Arletti, R., Vergoni, A.V., Menozzi, B. and Bertolini, A.
Old rats are unresponsive to the behavioral effects of adrenocorticotropin (271) 253

Portet, C., see Wamil, A.W. (271) 301
Potter, E.K., see Tseng, A. (271) 265
Prada, J., see Sannerud, C.A. (271) 461
Presti, M.L., see Mennini, T. (271) 93
Protais, P., Chagraoui, A., Arbaoui, J. and Mocaër, E.
Dopamine receptor antagonist properties of S 14506, 8-OH-DPAT, raclopride and clozapine in rodents (271) 167
Puglisi, L., see Pinna, C. (271) 151
Puschmann, A., see Franck, H. (271) 379

Reubi, J.C., Waser, B., Markusse, H.M., Krenning, E.P., VanHagen, M. and Laissue, J.A.
Vascular somatostatin receptors in synovium from patients with rheumatoid arthritis (271) 371
Ribeiro, J.A., see Correia-de-Sá, P. (271) 349
Rioux, F., see Audet, R. (271) 551
Rivière, P.J.M., see Diop, L. (271) 65
Rivière, P.J.M., see Langlois, A. (271) 245
Rizzi, M., see Mennini, T. (271) 93
Robertson, S.J., Pennington, A.J., Evans, A.M. and Martin, R.J.
The action of pyrantel as an agonist and an open channel blocker at acetylcholine receptors in isolated *Ascaris suum* muscle vesicles (271) 273
Rudolf, K., Eberlein, W., Engel, W., Wieland, H.A., Willim, K.D., Entzeroth, M., Wienen, W., Beck-Sickinger, A.G. and Doods, H.N.
The first highly potent and selective non-peptide neuropeptide Y Y_1 receptor antagonist: BIBP3226 (271) R11
Rump, L.C., see Bohmann, C. (271) 283
Rusak, B., see Piggins, H.D. (271) 413

Sagratella, S., see Domenici, M.R. (271) 259
Sala, M., see Braida, D. (271) 497
Samanin, R., see Mennini, T. (271) 93
Sannerud, C.A., Prada, J., Goldberg, D.M. and Goldberg, S.R.
The effects of sertraline on nicotine self-administration and food-maintained responding in squirrel monkeys (271) 461
Schaible, U., see Bohmann, C. (271) 283
Schmitz, P.K., see Fin, C. (271) 227
Schmutz, M., see Wamil, A.W. (271) 301
Schollmeyer, P., see Bohmann, C. (271) 283
Schreiber, R., Brocco, M., Gobert, A., Veiga, S. and Millan, M.J.
The potent activity of the 5-HT_{1A} receptor agonists, S 14506 and S 14671, in the rat forced swim test is blocked by novel 5-HT_{1A} receptor antagonists (271) 537
Schusdziarra, V., see Franck, H. (271) 379
Scotti de Carolis, A., see Domenici, M.R. (271) 259
Selbie, L.A., see Tseng, A. (271) 265
Sheu, S.-S., see Arreola, J. (271) 309
Shibasaki, K., see Shibasaki, M. (271) 341
Shibasaki, M., Shibasaki, K., Ichihara, M., Inagaki, O., Yanagisawa, I., Takenaka, T. and Murakami, K.
Pharmacological properties of YM-26365, a low molecular weight, orally active renin inhibitor (271) 341
Simmet, T., see Tippler, B. (271) 131
Simonnet, G., see Devillers, J.-P. (271) 185
Smith, G., Harrison, S., Bowers, J., Wiseman, J. and Birch, P.
Non-specific effects of the tachykinin NK_1 receptor antagonist, CP-99,994, in antinociceptive tests in rat, mouse and gerbil (271) 481
Sorrentino, L., see Mancuso, F. (271) 329
Sperelakis, N., see Kusaka, M. (271) 387
Stoclet, J.-C., see Eckly, A.E. (271) 237
Sun, Y.-D. and Benishin, C.G.
K^+ channel openers relax longitudinal muscle of guinea pig ileum (271) 453

Taira, C.A. and Enero, M.A.
Central α_1- and α_2-adrenoceptors and brain cholinergic stimulation in sinoaortic denervated rats (271) 9
Takakura, K., Goto, Y., Kigoshi, S. and Muramatsu, I.
Selective inhibition of sympathetic nerve-mediated contraction by L-arginine in lipopolysaccharide-treated tail artery of rats (271) 367
Takenaka, T., see Shibasaki, M. (271) 341
Taylor, J.E., see Ladenheim, E.E. (271) R7
Teale, D.M. and Atkinson, A.M.
L-Canavanine restores blood pressure in a rat model of endotoxic shock (271) 87
Tezuka, Y., see Huang, Q. (271) R5
Tippler, B., Herbst, C. and Simmet, T.
Evidence for the formation of endothelin by lysed red blood cells from endogenous precursor (271) 131
Tries, S., see Wallace, J.L. (271) 525
Tseng, A., Inglis, A., Selbie, L.A., Moriarty, M. and Potter, E.K.
Neuropeptide Y analog with selective antagonism of effects mediated by postjunctional Y_1 receptors (271) 265
Tudhope, S.R., see Norman, P. (271) 73

Van de Voorde, J., Brochez, V. and Vanheel, B.
Heterogenous effects of histamine on isolated rat coronary arteries (271) 17
VanHagen, M., see Reubi, J.C. (271) 371
Vanheel, B., see Van de Voorde, J. (271) 17
Vargas, M.L., see Milanés, M.V. (271) 103
Vaudry, H., see Bucharles, C. (271) 79
Veiga, S., see Schreiber, R. (271) 537
Vergoni, A.V., see Poggioli, R. (271) 253
Vezzani, A., see Mennini, T. (271) 93

Wagner, T.O.F., see Flüge, T. (271) 395
Wallace, J.L., Carter, L., McKnight, W., Tries, S. and Laufer, S.
ML 3000 reduces gastric prostaglandin synthesis without causing mucosal injury (271) 525
Wallace, P., see Gaffen, Z. (271) 445
Wamil, A.W., Schmutz, M., Portet, C., Feldmann, K.F. and McLean, M.J.
Effects of oxcarbazepine and 10-hydroxycarbamazepine on action potential firing and generalized seizures (271) 301
Wang, Q.-D., Li, X.-S. and Pernow, J.
Characterization of endothelin-1-induced vascular effects in the rat heart by using endothelin receptor antagonists (271) 25
Warnick, J.E., see Deshpande, S.B. (271) 439
Waser, B., see Reubi, J.C. (271) 371
Watanabe, S., see Ohno, M. (271) 557
White, A.C., see Hume, S.P. (271) 515
Whittle, B.J.R., see Lopez-Belmonte, J. (271) R15
Wieland, H.A., see Rudolf, K. (271) R11
Wienen, W., see Rudolf, K. (271) R11
Willim, K.D., see Rudolf, K. (271) R11
Wiseman, J., see Smith, G. (271) 481

Yaksh, T.L., see Malmberg, A.B. (271) 293
Yamamoto, T., see Ohno, M. (271) 557
Yanagisawa, I., see Shibasaki, M. (271) 341
Yang, S.-N., Fior, D.R., Hedlund, P.B., Agnati, L.F. and Fuxe, K.
Antagonistic regulation of α_2-adrenoceptors by neuropeptide Y receptor subtypes in the nucleus tractus solitarii (271) 201
Yoshimatsu, A., see Ohno, M. (271) 557

Zeilhofer, H.U., see Pallapies, D. (271) 335